Infopest

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

AVERT* COCKROACH GEL BAIT

FORMULA I

Active Constituent: 0.5g/kg ABAMECTIN

For the control of cockroaches in commercial, industrial and residential premises by professional pest control operators only as per directions for use

THIS PACK CONTAINS FOUR TUBES WHICH IT IS ILLEGAL TO SELL SEPARATELY NET: 120g (4 x 30g tubes)

Manufactured by:

Whitmire Micro-Gen Research Laboratories, Inc. ST LOUIS MO USA

PCT International Pty Ltd

ACN 010 530 579 252 Bradman Street ACACIA RIDGE QLD 4077 http://pct.au.com

CUSTOMER SERVICE FREECALL EMERGENCY RESPONSE (ALL HOURS) FREECALL 1 800 700 096 1 800 700 096

*Avert is a trademark of Whitmire Micro-Gen

(OUTER BOX)

9 NOVEMBER 2000 Page 1 of 5

DIRECTIONS FOR USE

DO NOT apply to a ground surface which is wet or to areas that are washed.

DO NOT allow product to directly contact humans, pets, exposed food, food preparation areas or food utensils

SITUATION: Commercial, Industrial and Residential Buildings

PEST: German and American Cockroaches.

RATE: Apply as a 3mm to 6mm diameter bait spot. Use the larger bait spot for American cockroaches. Apply 12 - 24 bait spots per $30m^2$ treatment area for heavy infestations and 4-6 bait spots per $30m^2$ for light infestations.

- Inspect premises thoroughly and locate all cockroach harbourages.
- Place Avert bait spots as close as possible to cockroach harbourages.
- Place bait spots into cracks and crevices away from where they are likely to be removed by cleaning programs.
- When placing baits remember that the label refers to the full surface area that the cockroaches are likely to traverse. Eg In a kitchen allow for the full surface area of each bench, cupboard, etc.
- Good hygiene is essential in any pest management situation. Encourage the removal of other food materials.
- Do not use chemical sprays near baits.
- ❖ In areas of poor sanitation use more bait placements.

RETREATMENT:

In areas of high activity the bait may be consumed and further placements needed. Schedule a second inspection about a month after the initial treatment. Retreatments only need to be applied in areas where cockroaches remain or are likely to enter a premises.

Avert is very stable. It does not harden or lose its attractiveness to cockroaches. Only reapply baits when the original bait has been consumed.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

PRECAUTION: Should not be used in areas accessible to children.

PROTECTION OF LIVESTOCK, WILDLIFE AND OTHERS

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used container. DO NOT apply this product in areas easily accessible to children, animals or birds. DO NOT apply into electrical equipment or wiring.

STORAGE AND DISPOSAL

Store in a cool dry place out of reach of children. DO NOT store in direct sunlight.

Do not dispose of undiluted chemicals on site. Dispose of used containers at a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

9 NOVEMBER 2000 Page 2 of 5

SAFETY DIRECTIONS

Harmful if swallowed. When using the product wear latex gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone: 131126. If swallowed, and more than 15 minutes from a hospital, induce vomiting, preferably using Ipecac Syrup APF. If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

Material Safety Data Sheet

Additional information is listed in the Material Safety Data Sheet.

DISCLAIMER

Avert Cockroach Gel Bait is supplied as a high grade product and is suitable for the purpose which it is expressly intended and must be used in accordance with the directions for use. The user must monitor the performance of any product as climatic, geographical or biological variables may effect the results obtained.

No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any relevant State legislation.

Batch No. Date of Manufacture: NRA Approval No. 50728/1200

9 NOVEMBER 2000 Page 3 of 5

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

AVERT* COCKROACH GEL BAIT

Active Constituent: 0.5g/kg ABAMECTIN

For the control or cockroaches in commercial, industrial and residential premises by professional pest control operators only as per directions for use

BEFORE USING THIS PRODUCT READ ALL DIRECTIONS FOR USE ON OUTER PACK RETURN PLASTIC TUBE TO OUTER PACK AFTER USE SALE OF THIS PLASTIC TUBE EXCEPT IN UNOPENED OUTER PACK IS ILLEGAL

NET: 30G

Manufactured by: Whitmire Micro-Gen Research Laboratories, Inc ST LOUIS MO USA

PCT International Pty Ltd

ACN 010 530 579 252 Bradman Street ACACIA RIDGE QLD 4077 http://pct.au.com

CUSTOMER SERVICE FREECALL EMERGENCY RESPONSE (ALL HOURS) FREECALL

1 800 700 096 1 800 700 096

*Avert is a trademark of Whitmire Micro-Gen

(MAIN PANEL – TUBE)

9 NOVEMBER 2000 Page 4 of 5

TUBE + OUTER CARTON

SAFETY DIRECTIONS

Harmful if swallowed. When using the product wear latex gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone: 131126. If swallowed, and more than 15 minutes from a hospital, induce vomiting, preferably using Ipecac Syrup APF. If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

Material Safety Data Sheet

Additional information is listed in the Material Safety Data Sheet.

DISCLAIMER

Avert Cockroach Gel Bait is supplied as a high grade product and is suitable for the purpose which it is expressly intended and must be used in accordance with the directions for use. The user must monitor the performance of any product as climatic, geographical or biological variables may effect the results obtained.

No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any relevant State legislation.

Batch No:	Date of Manufacture:

NRA Approval no..: 50728/1200

(Ancillary panel - tube.)

9 NOVEMBER 2000 Page 5 of 5