

BLITZ 5ltr 6/22/04 3:55 PM Page 1

## CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# BLITZ\* INSECTICIDE

ACTIVE CONSTITUENTS: 10g/L DELTAMETHRIN
10g/L TETRAMETHIN-R 25:75
80g/L PIPERONYL BUTOXIDE

GROUP 3A INSECTICIDE

For control of a range of insect pests in various situations as per the Directions for Use Table

TO BE USED BY LICENSED COMMERCIAL PEST CONTROL OPERATORS ONLY

**Contents 5 Litres** 

**SPCT** 

HOLDINGS PTY LTD

APVMA Approval No: 50682/5/1103 \*BLITZ is a registered trademark of PCT INTERNATIONAL PTY LTD
(PCT Holdings Pty Ltd ABN 11 099 023 962)
1/74 Murdoch Cir, Acacia Ridge QLD 4110 • http://pct.au.com
CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

Blitz 5ltr 130mm x 160mm

APVMA APPROVED LABEL COPY

#### BLITZ INSECTICIDE

DIRECTIONS F	OR U	ISE:
--------------	------	------

SITUATIONS	INSECT PESTS	TREATMENT HATE	CRITICAL COMMENTS
Houses, flats, factories, shops, wardouse; residurants, hospitals, fofels, kitchers	Cockreactes, fleas, spices, alts and single.	Initial freatments 150 mL Va	On non-porous surfaces of lute with 5 L of water, on porous surfaces up to 10 L of water may be used. Apply par 100 m of surface, not exceeding the point of run-off.
	Bird mites	75 mL	Apply to stretting boards, floors and carpets, suppoards, bettind sinks, stores and ploes. Pay particular attention to cracks and crevious. Also freat exposed areas where intects are seen, and known hallong addess.
	Carpet beefles & clothes moths	Initial Irealments 150 mL	Apply to infested at 4 of carpet, particularly around the edges and under furniture.
	Bled brugs	Maintenance treatments 75 pt.	Treat cracks and cravices in bed frames and the adjonant walls.
	Houselles, mos cultes	.75 mL	Apply to all exposed surfaces where files or mosquitoes may rest.
Freshly felled pine lags prior to debarking	Evespined bank beetle (Las grandicollis)	100 mL	Oil dis with 101 of water and apply through this sack or power sprnyin at the rate of 10 L 103 mf of purface area.
Freshly felled logs, poles and posts. Newly sawn timber	Fund to Buildes, F Annual to the Annual to t		148. For best results apply promotily after felling or sawing operations.

#### NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

#### GENERAL INSTRUCTIONS

Mixing/Application
Invert original container before use. For this results form a premix of invertion the container before use. For their results form a premix of the require amount of product with an explorition of water. Stir there, they Add to spray tank and dilute the remaining amount of water distance throughly. Do not store diluted insect is. Prepare a trish solution as necessary. Do not spray the mount parts of any machiner, electric motors or switch gear with the water based product.

### Insecticide Resistance Warning GROUP 3A INSECTICIDE

For insecticide resistance management, BLITZ INSECTICIDE is a Group

3A insecticide

3A insecticide.

Some naturally-occurring insect biotypes resistant to BLITZ INSECTIOE and other Group 3A insecticides may exist through natural genetic variability in any insect population. The resistant includes can eventually dominate the insect population if BLITZ INSECTIO DO or other Group 3A insecticides are not in goatedly. The effectiveness of BLITZ INSECTIODE on resistant includes could be uniformly reduced. Since occurrence of resistant included is a first to died prior to use. PCT International Pty Ltd accepts not builty for any countries resistant insects. resistant insects

PSTSTAIN INSECTICIOE may be subject to specific resistance management strategies. For further information contact your local supplier PCT international Pty. Ltd representative or local agricultural department.

## agronomist. PRECAUTIONS

PRECAUTIONS

Avoid contact with food food atensils or places where food is prepared or stored. Before use, remove or cover all exposed foodstuffs. Cover all exposed foodstuffs, cover all exposed foodstuffs, cover all exposed or stored. After use, thoroughly verticate treated area. Grean up thoroughly before processing results treated area. Grean up thoroughly before processing solvening results.

Where used as discitled the application of Elect heacticide should not present a fazard to consulters.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: Dangerous to lish. DO NOT contaminate streams, rivers or waterways with the chanical or used containers. STORAGE AND DISPOSIAL:

with the chinical or used containers.

STORAGE AND DISPOSIAL:

STORAGE AND DISPOSIAL:

Store in the closed, or mal-container, in a cool well-ventilated area. Do not store for proton as pends in direct sunlight. Triple or preferably pressure in second iners before disposition on the spray tank. Do not dispose a fund in the 1c lemands on the firm cyting, replace cap and reformed and second invision of order on which are then point, if not recording the second invision of order or well and out maniphy don bliners in a local authority fandfill. If no landfill is an absolute the containers in a local authority fandfill. If no landfill is an absolute the containers in a local authority fandfill. If no landfill is an absolute the containers in a local authority fandfill. If no landfill is an absolute the containers and ground the prediction of order or fadding the prediction of the containers and ground the prediction of the containers and ground the prepared spray was contained and set of the neck and wrist, a wash the hattle above light PVC gloss and the shield if product on skin, immediate, wash are with sect and wifer after use and before eating, drawing or smoking, wash hinds, arms and face thoroughly with seap and water. After each day's and with effect use shield and confaminated elothing.

FIRST APD: If poisoning occurs, contact it feeter or P is sens information. Centre. Phone 13 1126.

MSDS: Additional information is listed in the faterial Safety Data Sheet available from PCT International PVL.

roduct as suppli ich it is express

D.O.M.

Baton No