

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

COVERT GOLD Cockroach Gel Bait

ACTIVE CONSTITUENT: 0.5 g/kg FIPRONIL

GROUP	2B	INSECTICIDE
-------	-----------	-------------

For the treatment of cockroach infestations in commercial industrial and residential premises.

BEFORE USING THIS PRODUCT READ ALL DIRECTIONS FOR USE ON OUTER PACK. RETURN PLASTIC TUBE TO OUTER PACK AFTER USE.
SALE OF THIS PLASTIC TUBE EXCEPT IN UNOPENED OUTER PACK IS ILLEGAL

STORAGE, SPILLAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated locked place out of the reach of children. Do not store in direct sunlight and do not store at temperatures exceeding 35°C. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS). A MSDS for COVERT GOLD Cockroach Gel Bait is available from PCT Holdings Pty Ltd on request.

WARRANTY

COVERT GOLD Cockroach Gel Bait is supplied as a high grade product and is suitable for the purpose which it is expressly intended and must be used in accordance with the directions for use. The user must monitor the performance of any product as climatic, geographical or biological variables may affect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any relevant State legislation.

Net Contents: 15g 30g 60g

APVMA Approval No. 68911/59366
PCT INTERNATIONAL PTY LTD (PCT Holdings Pty Ltd ABN 11 099 023 962)
1/74 Murdoch Circuit, Acacia Ridge QLD 4110 • <http://pct.au.com>
CUSTOMER SERVICE FREECALL 1800 630 877
EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

Batch No.:

DOM:

Company: PCT Holdings Pty Ltd
Product: Covert Cockroach Gel Bait
Label part: Outer box
Text above this line is not part of the label

Page 3 of 4
Date: 14 Jan 2014

supplier, PCT Holdings Pty Ltd representatives or local agricultural department agronomist.

PROTECTION OF LIVESTOCK, WILDLIFE AND OTHERS

DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT apply this product in any areas easily accessible to children or animals.

STORAGE, SPILLAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated locked place out of the reach of children. Do not store in direct sunlight and do not store at temperatures exceeding 35°C. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS). A MSDS for COVERT GOLD Cockroach Gel Bait is available from PCT Holdings Pty Ltd on request.

WARRANTY

PCT Holdings Pty Ltd makes no warranty expressed or implied, concerning the use of this product other than that indicated on the label. Except as so warranted the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

DIRECTIONS FOR USE

Restraints

DO NOT place in areas that are routinely washed.

DO NOT apply this product in any areas easily accessible to children or animals

SITUATION	PEST	RATE
Domestic, Commercial and Public Service buildings including; farm buildings, food processing establishments, factories, hospitals, homes, kitchens, offices, restaurants, retail outlets, store-rooms, vehicles and other situations which fall within these definitions.	German and other common cockroaches	Apply at least 2 spots per m ² . Increasing the number of spots (up to 5/m ²) may be required for heavy infestations or if the American cockroach is the main pest. Recommended spot size is approximately 5 mm diameter (0.1 g) or the size of the spot indicated below 

CRITICAL COMMENTS

Conduct a thorough inspection of the premises and then place gel in areas near cockroach harbourages or in sheltered areas where signs of cockroaches are evident.

Replenish gel if previous application has been consumed and cockroaches remain a problem; increasing number of spots if necessary.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

To apply the gel, remove the cap on the nozzle and touch the tip to the surface to be treated and slowly depress plunger until sufficient gel is dispensed. Recap the dispenser after treatment is completed.

Where maintenance treatments form part of the professional pest controllers contract it is recommended that cockroach activity be monitored where gel has been applied one month after initial treatment or at more regular intervals in areas of high infestation.

INSECTICIDE RESISTANCE WARNING

For insecticide resistance management COVERT GOLD Cockroach Gel Bait is a Group 2B Insecticide. Some naturally occurring insect biotypes resistant to COVERT GOLD Cockroach Gel Bait and other group 3A insecticide may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if COVERT GOLD Cockroach Gel Bait or other group 2B insecticides are used repeatedly. The effectiveness of COVERT GOLD Cockroach Gel Bait on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, PCT Holdings Pty Ltd accepts no liability for any losses that may result from the failure of COVERT GOLD Cockroach Gel Bait to control resistant insects. COVERT GOLD Cockroach Gel Bait may be subject to specific resistance management strategies. For further information, contact your local

GROUP	2B	INSECTICIDE
-------	----	-------------

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

COVERT GOLD

Cockroach Gel Bait

ACTIVE CONSTITUENT: 0.5 g/kg FIPRONIL

GROUP	2B	INSECTICIDE
-------	-----------	-------------

For the treatment of cockroach infestations in commercial industrial and residential premises.

The tube must not be sold separately.
Do not destroy box while product still remains

Contents: 15g 30g 60g 120g (4 x 30g)

APVMA Approval No. 68911/59366

PCT INTERNATIONAL PTY LTD
(PCT Holdings Pty Ltd ABN 11 099 023 962)
1/74 Murdoch Circuit, Acacia Ridge QLD 4110 • <http://pct.au.com>
CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

