

KEEP OUT OF REACH OF CHILDREN

TARGET

DUST TREATMENT FOR INSECT CONTROL

Active constituent:
10g/kg Permethrin 25;75

A ready to use dust treatment for the control of cockroaches, ants, fleas, silverfish, bedbugs, mushroom flies, potato moths, hide beetles and European Wasps as per the directions for use.

NET CONTENTS: 10Kg

PCT INTERNATIONAL

PEST CONTROL TECHNOLOGIES INTERNATIONAL Pty Ltd

6 Ballandean Cresnet, Ellengrove, Queensland. 4077.

Emergency Contact: Phone 1800630877

N.R.A. APPROVAL NO. 46589/1

FRONT

**CONTENTS OF THIS CARTON MUST
ALWAYS BE STORED IN A CORRECTLY
LABELLED TARGET CONTAINER**

TCP PANEL



**FRAGILE
KEEP DRY**



TOP PANEL

TARGET DUST TREATMENT FOR INSECT CONTROL

GENERAL INSTRUCTIONS

A non-systemic insecticide with contact and stomach action, having a slight repellent effect. Where the use of a powder blower is specified the equipment should be clean and free from any other insecticide residue. After use the blower should be cleaned thoroughly. This product is supplied ready to use and no further dilution is required and it should not be mixed with any other insecticide. After application and where appropriate the powder should be left undisturbed for as long as possible.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT:

Dangerous to fish. DO NOT contaminate streams, ponds, waterways and drains with this product or used container.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, well-ventilated area as cool as possible but out of direct sunlight away from children, animals, food, feedstuffs and fertilizers. Destroy empty containers by puncturing or shredding them. Dispose of the containers at a local authority landfill readily available in your area, or bury the containers at a depth of 500mm or more at a licensed approval disposal site. In some States wastes can only be buried at a licensed landfill. DO NOT burn empty containers or product.

DO NOT allow product to come into contact with food, food preparation surfaces, food preparation equipment and utensils. Cover all foodstuffs and any are or equipment from possible contamination.

SAFETY DIRECTIONS

Avoid contact with eyes and skin. Avoid inhaling the dust. When using the product wear rubber gloves. Wash hands after use.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre. For further information refer to MSDS.

CONDITIONS OF SALE:

Target Dust Treatment For insect Control is supplied as a high grade material and is suitable for the purpose for which it is expressly intended and must be used in strict accordance with the directions for use. The use and therefore results is beyond the control of the manufacturer therefore no warranty, expressed or implied is given by Pest Control Technologies International Pty Ltd regarding its suitability or efficacy for any purpose nor can Pest Control Technologies Pty Ltd accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those non-excludable conditions implied by the Trade Practices Act or any State legislation.

BATCH NO.

MANUF. DATE:

SIDE

TARGET DUST TREATMENT FOR INSECT CONTROL

Directions for use

Situation		Target Insects	State	Rate	Critical Comments
Domestic Institutional and Industrial premises	Food preparation and storage areas	Cockroaches Silverfish	All States	10g per m2 applied with a powder blower	Blow powder into all cracks and crevices. Pay particular attention to warm, dark corners, around cookers, fireplaces, radiators, stoves, pipes, rubbish chutes and places where liquid sprays may not be used.
	Living and sleeping areas	Ants			Sprinkle the powder along runs, on and around nests. If ants are invading domestic premises apply powder to the routes by which they enter. Repeat as necessary.
		Fleas			Dust powder over floor, brushing into carpet pile and blowing into areas where flea larvae develop.
		Bedbugs			Apply powder to bedsteads, bedsprings, mattresses, floor coverings, upholstered furniture, cracks in walls, behind torn wallpaper, joints in woodwork and other harbourages.
Skin and Hide preparations		Hide Beetles (Dermestes ater)			a) Place skins on drying racks and apply dust using a manual or motorised duster. b) Dust exposed edges of dried, baled skins.
Mushroom beds		Mushroom Sciand flies			Dust mushroom beds no more frequently than twice a week to control adult and larvae flies. Discontinue dusting when mushrooms reach the size of a 10 cent piece.
Seed Potatoes		Potato moth (Phthorimaea operculella)		600g/tonne or 30g/50kg bag of seed potato	Dust thoroughly immediately after harvest while filling storage containers. Treated seed potatoes are to be used only for sowing, do not use for food or feed purposes. Treated seed potatoes should be stored apart from other potatoes and bags or containers should be clearly marked to identify that the contents have been treated.
Large Wasp Nests		European Wasps	NSW VIC WA TAS NT	125g to 250g per nest	Use hand duster and apply powder through entrance holes (125-250g/nest dependent on size of nest and number of entrance holes). Treat at night wherever possible. Operators should wear clothing protective against the wasp including long-sleeved overalls buttoned at wrist and throat, gloves, hat, and bee-veil.

NOT TO BE USED FOR ANY OTHER PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION
WITHHOLDING PERIOD - FOR MUSHROOMS DO NOT APPLY LATER THAN 3 DAYS BEFORE HARVEST

SIDE

KEEP OUT OF REACH OF CHILDREN

TARGET

DUST TREATMENT FOR INSECT CONTROL

Active constituent:
10g/kg Permethrin 25;75

A ready to use dust treatment for the control of cockroaches, ants, fleas, silverfish, bedbugs, mushroom flies, potato moths, hide beetles and European Wasps as per the directions for use.

NET CONTENTS: 10Kg

PCT INTERNATIONAL

PEST CONTROL TECHNOLOGIES INTERNATIONAL Pty Ltd

6 Ballandean Crescent, Ellengrove, Queensland, 4077.

Emergency Contact: Phone 1800630877

N.R.A. APPROVAL NO. 46589/1

BACK